

April 15, 2020

Ms. Marie J. McDonald U.S. Environmental Protection Agency Water Enforcement, OES4-SMR 5 Post Office Square Boston, MA 02109-3912

Subject:

Hull, MA Water Pollution Control Facility (WPCF) - NPDES Permit No. MA0101231

Discharge Monitoring Reports - March 2020 - Discharge 001-A

Dear Ms. McDonald:

Enclosed please find the completed DMR for the month of March 2020. Please note that the facility's effluent was in compliance with NPDES requirements, with the exception of one daily excursion for effluent enterococci, that occurred on March 23, 2020.

Max Daily Permit limit:

276 CFU/100mL

Result:

390 CFU/100mL

It is unclear why the high result was seen, as the chlorine residual at the time of sample collection was above the daily target, and there had been no earlier indications of any issues. A review of plant flow, sodium hypochlorite dosage, sample collection, and lab QA/QC was performed, with nothing found. The fecal coliform sample result for the sample collected at the same time was very low, 10 CFU/100mL. The following week's sample collected on 3/31/20 indicated full compliance. A copy of the email notification sent out on 3/26/20 is included with this submittal.

As a result of the Covid-19 health emergency, the Hull facility has been operating with a modified staffing schedule to encourage social separation and minimize staff interactions while promoting a safe working environment to protect their health. David Burns of the MADEP was informed of the staffing changes on 3/20/20. There have not been any issues to date, and the facility has been attending the weekly MassDEP Wastewater COVID-19 calls for updates and any changes.

Should you have questions concerning this submittal, please contact the undersigned at 781-925-0906. Thank you for your assistance.

Sincerely,

aran Saphedia Aram Varjabedian - Woodard & Curran

Project Manager

Enc. DMR forms, support documentation

Cc: David Burns, MA DEP (SERO) Lakeville, MA

John J. Struzziery - Director of Wastewater Operations/Assistant Director of Public Works

Ryan Joyce - Division of Marine Fisheries

#### **Aram Varjabedian**

From:

Aram Varjabedian

Sent:

Saturday, March 28, 2020 7:28 AM

To:

Turin, David (Turin.David@epa.gov); david.burns (david.burns@state.ma.us); 'Joyce, Ryan

(FWF)

Cc:

jstruzziery (jstruzziery@town.hull.ma.us); Robert Scott (rscott@woodardcurran.com); Bill

Boornazian; bkiely

Subject:

RE: Hull, MA WPCF - MA0101231 - Permit exceedence - Enterococci

#### Good morning:

I have a correction to the previously sent email. Ryan Joyce had inquired, and I appreciate the feedback and pointing out my error. I had incorrectly indicated the max daily limit for fecal coliform in the initial notification.

ENTEROCOCCI BACTERIA <sup>6</sup>	*****	*******	35 CFU/100 ml	*****	276 CFU/100 ml
-----------------------------------	-------	---------	------------------	-------	-------------------

To clarify: The permit exceedance was for enterococci.

Max daily enterococci limit - 276 CFU/100ml

Result for 3/23/20 - 390 CFU/100ml

I apologize for any confusion that I may have caused.

Sincerely,

Aram

Aram Varjabedian - Plant Manager
Hull Wastewater Treatment Facility
1111 Nantasket Avenue
Hull, MA 02045
Phone 781.925.0906, Fax 781.925.3056, Cell 339.214.8334
www.woodardcurran.com



COMMITMENT & INTEGRITY DRIVE RESULTS

From: Aram Varjabedian

Sent: Thursday, March 26, 2020 12:43 PM

To: Turin, David (Turin.David@epa.gov) <turin.david@epa.gov>; david.burns (david.burns@state.ma.us)

<david.burns@state.ma.us>; Joyce, Ryan (FWE) <ryan.joyce@state.ma.us>

Cc: jstruzziery (jstruzziery@town.hull.ma.us) <jstruzziery@town.hull.ma.us>; Robert Scott (rscott@woodardcurran.com) <rscott@woodardcurran.com>; Bill Boornazian <wboornazian@woodardcurran.com>; bkiely <bkiely@town.hull.ma.us> Subject: Hull, MA WPCF - MA0101231 - Permit exceedence - Enterococci

Good afternoon:

I wanted to inform you that we had a maximum daily exceedance for an effluent enterococci sample that was collected on Monday 3/23/2 at 10:00AM. We were informed of the results from our contract lab G&L Labs.

Max daily fecal coliform limit – 276 CFU/100ml

ENTERO COCC 2-27-20

Result for 3/23/20 – 390 CFU/100ml

The sampling for fecal coliform and enterococci is done at the same time. A separate sample for fecal coliform and enterococci is collected in a sterile 120mL specimen container from the chlorine contact chamber channel. The sampling procedure and location are the same with no recent changes. The chlorine residual at the time of sample was higher than typically seen and had been at this level The chlorine residual at the time of sampling was 1.9 mg/L and was well above our typical target of 1.0-1.2 mg/L for the flow rates observed and the observed residual was at that level for the previous 4-5 hours.

I have reached out to the contract lab to obtain additional information, to see if all of their QA/QC requirements were met, and if there may have been a reason why the fecal coliform result of 10 CFU/100mL was extremely low, but the enterococci result was very high. Their return reply indicated that all QA/QC was met with the various dilutions, and with the same technician performing the analysis. The lab also indicated that the fecal coliform bacteria may die off more quickly than the enterococci, but the samples were analyzed well within the maximum allowable hold time. It is possible that something unforeseen was picked up during the sampling for enterococci, or something occurred in transport or at the lab. This is unknown. As a result of the Covid-19 crisis, the contract lab hours have been reduced significantly, and only has one day available per week to deliver samples and for the lab to run the samples.

The effluent pumps pump from the effluent wet well up to the CCT's and the pumping rate is based upon flows into the plant and the wet well level. It is possible that something microscopic may have become dislodged due to the variable flows prior to the sampling time, as the effluent pump had cycled on and off several times, due to lower flows. All of the earlier samples collected for the month of March for both fecal coliform and enterococci had results of <10 CFU/100ml, and these samples were collected at a similar time.

Our disinfection process is operating well, and flows during the sampling period were approximately 1.0 MG. Sodium hypochlorite is currently being added into the effluent wet well before the effluent is pumped up to the chlorine contact tanks [CCT]. Both CCT's are currently on line. I will provide an update, should any additional information become available from the contract lab.

Should you have any questions or need additional information, please let me know.

Sincerely,

Aram

Aram Varjabedian - Plant Manager
Hull Wastewater Treatment Facility
1111 Nantasket Avenue
Hull, MA 02045
Phone 781.925.0906, Fax 781.925.3056, Cell 339.214.8334
www.woodardcurran.com





#### HULL, MA WATER POLLUTION CONTROL FACILITY NPDES NO. MA0101231

### Hull Water Pollution Control Facility – Staffing – March 2020 See attached modified Covid-19 Plan

Project Manager/Chief Operator - Aram Varjabedian	MA Grade 7C
Asst. Project Manager/Asst. Chief Operator – William Boornazian	MA Grade 7C
Lead Operator – Joseph Basler	MA Grade 5C
Operations/Maintenance Tech 2 – Eric Sutton	MA Grade 3M
Operations/Maintenance Tech 2 - David Wilson	MA Grade 4M
Operations/Maintenance Tech 1 - Ryan Holman	MA Grade 4M
Supplemental O&M Personnel supporting/assisting the Hull fa	acility
Roger Boltrushek – Part-time Operator	MA Grade 7C
Jody St. George - Sr. Operations Specialist	MA Grade 7C
Richard Gould - Part-time Operator	MA Grade 5C
Robert Scott – Area Manager	MA Grade 6C



#### Hull Water Pollution Control Facility - Schedule - March 2020

#### Schedule for 8 Hour/Day coverage:

	License	Sun	Mon	Tue	Wed	Thur	Fri	Sat
Project Manager	7C	***	X	X	X	X	X	
Asst. Project Manager	7C	***	X	X	X	X	X	
Lead Operator	5C			X	X	X	X	X
O&M Tech 1				X	X	X	X	X
O&M Tech 2	3M		X	X	X	X	X	
O&M Tech 2	4M	X	X	X	X	X		
Part-Time Operator	7C or 5C	*						*
Sr. O&M Specialist	7C	**						

- Part-time operator schedule is usually one day every two weeks and the day
  can vary, but usually on a Sunday and can vary week-to-week. An asterisk [\*]
  denotes those days that the part-time operator could be scheduled.
- [\*\*] Sr. O&M Specialists coverage is occasionally part of the Sunday rotation, and also if licensed operations coverage is needed during the week.
- [\*\*\*] If Sunday coverage is by Sr. O&M, Lead Operator, or PT operator, then PM and APM schedule is Monday through Friday. PM and APM available and part of the Sunday coverage rotation as needed, and for Saturday coverage if needed.
- PM & APM schedule is Monday through Friday

				WEEK 1								WEEK 2			
Date	4/4/2020	4/5/2020	4/6/2020	4/7/2020	4/8/2020	4/9/2020	4/10/2020	Date	4/11/2020	4/12/2020	4/13/2020	4/14/2020	4/15/2020	4/16/2020	4/17/2020
Day	Saturday	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Day	Saturday	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday
Aram		×	×	×	×			Aram		×	×	×			
Dave		×	×	×	×	-		Dave		×	×	×			
Eric		×	×	×	×			Eric		×	×	×			
Bill	×					×	×	BIII	×				×	×	×
Joe	×					×	×	Joe	×				×	×	×
Ryan	×					×	×	Ryan	×				×	×	×

4/18/2020 4/19/2020 4/20/2020 Saturday Sunday Monday 4/21/2020 WEEK 1 Tuesday × × Wednesday Thursday 4/22/2020 4/23/2020 × × × × × 4/24/2020 Friday × × × Date Day Aram Dave Eric Bill Joe Ryan Saturday 4/25/2020 × × × 4/26/2020 Sunday 4/27/2020 Monday 4/28/2020 WEEK 2 Tuesday

Wednesday 4/29/2020

Thursday 4/30/2020

5/1/2020 Friday

×

× ×

Notes staff works in teams of three

Ryan

Joe

× ×

×

Dave Eric Bill

× ×

× × Aram

Date

Wednesdays is a flip day - the team that works in week 1 would be off the following Wednesday, Week 2

All staff will be available for additional support as needed.

Address 1111 NANTASKET AVE

M

02045

MA0101231
PERMIT NUMBER

Location HULL

John Struzziery, Director of WW Ops

02045

FROM

20

03 01 **To** 

YEAR MO DAY

Facility HULL W P C F

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

MAJOR (SUBR E)

OMB No. 2040-0004

NOTE: Read instructions before completing this form TREATED SANITARY WASTEWATE \*\*\* NO DISCHARGE \*\*

## MONITORING PERIOD YEAR MO DAY 20 03 31 001 A DISCHARGE NUMBER F- FINAL

Column   C	DAY	NO	YEAR	55	NUMBER	CODE	SIGNATURE OF PRICIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	SIGNATURE C	emation,	arn aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	ware that there are significant in ing the possibility of fine and im	includi	TYPED OR PRINTED Including the possibility of fine and imprisonment and EYPARATION OF ANY VIOLATIONS OF THE PRINTED INCLUDING THE PR
COUANTITY OR LOADING	15	04	20	207	925-12	781	anjobedie	Quan	e the system, information of complete.	perly gather and evaluate the info e person or persons who manag for gathering the information, the edge and belief, true, accurate, a	ire that qualified personnel project. Based on my inquiry of the epersons directly responsible ted is, to the best of my knowle	4	Aram Varjabedian - Project Manager John Struzziery, Director of WW Ops
COUANTITY OR LOADING         VALUE         V		DATE		m	TELEPHON		)	,	m designed	document and all attachments w vision in accordance with a syste	ounder penalty of law that this ead under my direction or super		NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
CUANTITY OR LOADING	CORDR		CON		MGD	**	· · · · · · · · · · · · · · · · · · ·	REQ MO AVG	1	* * * *	******	PERMIT	50050 0 0 See Comments
VALUE         VALUE <th< td=""><td>RC</td><td>99</td><td>99/9</td><td>0</td><td>MGD</td><td>安安安安安安</td><td>****</td><td>1.42</td><td>**</td><td>*****</td><td>**</td><td>SAMPLE MEASUREMENT</td><td>THRU TREATMENT PLANT MEASUREMENT</td></th<>	RC	99	99/9	0	MGD	安安安安安安	****	1.42	**	*****	**	SAMPLE MEASUREMENT	THRU TREATMENT PLANT MEASUREMENT
COUANTITY OR LOADING   CONTRATION   CONTRA	CORDA		CONTI		**	****	***	安全市市	MGD	DAILY MX	3.04 12 MO AVG	PERMIT	50050 1 0 0 EFFLUENT GROSS VALUE
COUNTITY OR LOADING	RC	99	99/9	0	***	***	**	****	MGD	3.46	1.59	MEASUREMENT	THRU TREATMENT PLANT
Composition	OMP 24	-	WEE		mg/L	****	****	REPORT MO AVG	LBS/DY	***	REPORT MO AVG	PERMIT	RAW SEW/INFLUENT
COUNTITY OR LOADING   COUNTEN   CO	24	~	1/7	0	mg/L	**	***	359	LBS/DY	*************************************	3,776	SAMPLE MEASUREMENT	SOLIDS, TOTAL SUSPENDED
COUNTITY OR LOADING   COUNTITY OR COUNTITY OR COUNTITY OR COUNTING   COUNTI	OMP 24		WEE		mg/L	50 DAILY MX	45 WKLY AVG	MO AVG	LBS/DY	WKLY AVG	768 MO AVG	PERMIT REQUIREMENT	00530 1 0 0 EFFLUENT GROSS VALUE
COUANTITY OR LOADING   COUCENTRATION   COUCE	24	7	1/2	0	mg/L	=	#	7	LBS/DY	317	115	SAMPLE MEASUREMENT	SOLIDS, TOTAL SUSPENDED
Composition	SRAB		WEE		SU	8.5 MAXIMUM		6.5 MINIMUM	**	**	**************************************	PERMIT REQUIREMENT	00400 1 0 0 EFFLUENT GROSS VALUE
COUANTITY OR LOADING   COUALITY OR CONCENTRATION   CONCENTRA	GR	=	01/0	0	SU	7.40	****	6.80	****	***	***	SAMPLE MEASUREMENT	뮢
QUANTITY OR LOADING         QUALITY OR CONCENTRATION         NO. EX         FREQUENCY           SAMPLE SAMPLE REQUIREMENT         VALUE         VALUE         VALUE         VALUE         VALUE         UNITS         FREQUENCY           PERMIT REQUIREMENT         55         139         LBS/DY         30         45         50         mg/L         0         1/7           SAMPLE REQUIREMENT         MO AVG         WKLY AVG         LBS/DY         MO AVG         WKLY AVG         DAILY MX         mg/L         0         1/7           MEASUREMENT         1,656         *******         LBS/DY         142         *********         mg/L         0         1/7	DMP 24		WEE		mg/L	* * * * * * * * * * * * * * * * * * * *	*****	REPORT MO AVG	LBS/DY	****	REPORT MO AVG	PERMIT REQUIREMENT	00310 G 0 0 RAW SEW/INFLUENT
QUANTITY OR LOADING         QUALITY OR CONCENTRATION         NO. EX         FREQUENCY           SAMPLE MEASUREMENT         55         139         LBS/DY         30         45         50         mg/L         0         1/7           PERMIT PERMIT MO AVG         MO AVG         WKLY AVG         LBS/DY         MO AVG         WKLY AVG         DAILY MX         mg/L         WEEKLY	24	7	1/2	0	mg/L	**	***	142	LBS/DY	* * * * * * * * * * * * * * * * * * * *	1,656	SAMPLE MEASUREMENT	BOD, 5-DAY (20 DEG. C)
VALUE VALUE UNITS VALUE VALUE VALUE STATION OF ANALYSIS  55 139 LBS/DY 3 5 5 mg/L 0 1/7	OMP 24		WEE	Ιď	mg/L	50 DAILY MX		30 MO AVG	LBS/DY	WKLY AVG	768 MO AVG	PERMIT REQUIREMENT	00310 1 0 0 EFFLUENT GROSS VALUE
QUANTITY OR LOADING QUALITY OR CONCENTRATION NO. EX OF ANALYSIS VALUE VALUE UNITS VALUE VALUE UNITS	24	: <b>**</b>	1/7	0	mg/L	51	<b>C</b> 1	ယ	LBS/DY	139	55	SAMPLE MEASUREMENT	BOD, 5-DAY (20 DEG. C)
QUALITY OR CONCENTRATION  NO. FX. FREQUENCY	HAPE	-	OF ANAL		STINU	VALUE	VALUE	VALUE	STINU	VALUE	VALUE		
	AMPLE	1	FREQUE	NO. EX		RATION	ALITY OR CONCENTE	QU		TITY OR LOADING	QUAN		PARAMETER

WET DATA ON DMR 001B REPORT MAXIMUM AND MINIMUM DAILY FLOW RATES AND TOTAL FLOW FOR EACH OPERATING DAY WITH DMR EACH MONTH

EPA Form 3320-1 (Rev. 3/99)

Previous editions may be used.

PAGE 1 OF 2

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

Name HULL W P C F

Address 1111 NANTASKET AVE

HUL

M

02045

PERMIT NUMBER MA0101231

DISCHARGE NUMBER

001 A

MONITORING PERIOD

HULL W P

0

Attn: Location HULL

John Struzziery, Director of WW Ops

MA

02045

FROM

20

MO DAY 03 01

01 TO

20

MO 03

31

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

OMB No. 2040-0004

DISCHARGE MONITORING REPORT (DMR) MAJOR

F- FINAL (SUBR E

TREATED SANITARY WASTEWATER

NO DISCHARGE

\*\*\*

NOTE: Read instructions before completing this form

**EFFLUENT GROSS** 61211 1 0 **EFFLUENT GROSS** John Struzziery, Director of WW Ops ENTEROCOCCI 50060 1 0 SOLIDS, SUSPENDED REMOVAL BOD, 5-DAY PERCENT Chlorine, Total Residual PERCENTREMOVAL PERCENT REMOVA 81010 K 0 0 **EFFLUENT GROSS VALUE** COLIFORM, FECAL Aram Varjabedian - Project Manager PERCENTREMOVAL 74055 1 0 0 GENERAL NAME/TITLE PRINCIPAL EXECUTIVE OFFICER PARAMETER TYPED OR PRINTED PERMIT SAMPLE MEASUREMENT PERMIT REQUIREMENT PERMIT REQUIREMENT PERMIT REQUIREMENT MEASUREMENT MEASUREMENT MEASUREMENT SAMPLE MEASUREMENT SAMPLE MEASUREMENT SAMPLE MEASUREMENT PERMIT REQUIREMENT REQUIREMENT REQUIREMENT SAMPLE PERMIT SAMPLE SAMPLE PERMIT prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and synthesis the information submitted. Based on my indury of the person or persons who manage the system of those persons of the person of the person of the information, the information of those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete, and makes that there are significant penalties for submitting laise information, I certify under penalty of law that this document and all attachments were including the possibility of fine and imprisonment for knowing violations. \*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\* \*\*\*\*\* 安安林安安安 VALUE \*\*\*\*\* \*\*\*\*\* QUANTITY OR LOADING VALUE \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\* \*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\* \*\*\*\*\* \*\*\*\* STIND \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* MO AVG MO GEC MO AVG MO GEO 0.13 MO AVG SIGNATURE OF PRICIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT 98 98 35 2 0 0.7 85 88 QUALITY OR CONCENTRATION \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* VALUE \*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* \*\*\*\*\* DAILY MAX DAILY MAX DAILY MX \*\*\*\*\* \*\*\*\*\* VALUE \*\*\*\*\* 276 390 0.85 260 10 CODE 781 AREA TELEPHONE PER-CEN CFU/100 PER-CEN CFU/100 #/100 ml #/100 ml mg/L mg/L STINU 925-1207 3 % % NUMBER NO. EX 0 0 0 0 OF ANALYSIS YEAR THREE PER DAY WEEKLY WEEKLY 20 MONTH! MONTH 03/01 1/30 1/30 1/7 17 DATE 8 2 CALCTD CALCTD SAMPLE GRAB GRAB GRAB SA SA SH GR GR DAY 5

COMMENT AND EXPANATION OF ANY VIOLATIONS (Reference all attachments here)

REPORT MAXIMUM AND MINIMUM DAILY FLOW RATES AND TOTAL FLOW FOR EACH OPERATING DAY WITH DMR EACH MO WET DATA ON DMR 001B

EPA Form 3320-1 (Rev. 3/99)

Date

### Effluent

# Data for dates in current month

Week Start
03/01/20
03/08/20
03/15/20
03/22/20

Week Start

03/01/20 03/08/20 03/15/20 03/22/20

# Sunday Thru Saturday (avg placed on Saturday date)

																		0	0	0	0	-	m					Ŏ	Ō	Ö	Ŏ	-	m
																MAX		03/28/20	03/21/20	03/14/20	03/07/20	Week End	Effluent BOD			MAX		03/28/20	03/21/20	03/14/20	03/07/20	Week End	Effluent 188
																S)		Sī.	ω	ω	3	Avg				=		=	8	5	4	Avg	
AVG	MAX	03/31/20	03/30/20	03/29/20	03/28/20	03/27/20	03/26/20	03/25/20	03/24/20	03/23/20	03/22/20	03/21/20	03/20/20	03/19/20	03/18/20	03/17/20	03/16/20	03/15/20	03/14/20	03/13/20	03/12/20	03/11/20	03/10/20	03/09/20	03/08/20	03/07/20	03/06/20	03/05/20	03/04/20	03/03/20	03/02/20	03/01/20	Date
7	=	6							=							8							<sub>C</sub> n							4			TSS mg/l
115	317	100							317							65							53							38			TSS Lbs
ω	51	ω							Сī							ω							ω							ω			BOD mg/l
55	139	50							139							25							32							28			BOD LBS
Avg	MAX	03/31/20	03/30/20	03/29/20	03/28/20	03/27/20	03/26/20	03/25/20	03/24/20	03/23/20	03/22/20	03/21/20	03/20/20	03/19/20	03/18/20	03/17/20	03/16/20	03/15/20	03/14/20	03/13/20	03/12/20	03/11/20	03/10/20	03/09/20	03/08/20	03/07/20	03/06/20	03/05/20	03/04/20	03/03/20	03/02/20	03/01/20	Date
7	=				=							8							ຫ							4							TSS mg/l
118	317				317							65							53							38			iii				TSS LBS
4	ហ				51							з							ω							ω							BOD mg/l
56	139				139							25							32							28							BOD LBS

	03/22/20	03/15/20	03/08/20	03/01/20	Week Start	_
Max	03/28/20	03/21/20	03/14/20	03/07/20	Week End	Influent BOD
330	60	330	100	120	Avg	

948	Max	
94	03/28/20	03/22/20
948	03/21/20	03/15/20
230	03/14/20	03/08/20
374	03/07/20	03/01/20
Avg	Week End	Week Start
	Influent TSS	

# TSS and BOD Loadings Check Sheet

### Influent

Data for dates in current month

Sunday Thru Saturday (avg placed on Saturday date)

AVG	MAX	03/31/20	03/30/20	03/29/20	03/28/20	03/27/20	03/26/20	03/25/20	03/24/20	03/23/20	03/22/20	03/21/20	03/20/20	03/19/20	03/18/20	03/17/20	03/16/20	03/15/20	03/14/20	03/13/20	03/12/20	03/11/20	03/10/20	03/09/20	03/08/20	03/07/20	03/06/20	03/05/20	03/04/20	03/03/20	03/02/20	03/01/20	Date
359	948	148							94							948							230							374		3	TSS mg/l
3,776	7,748	2,456							2,713							7,748							2,436							3,525			TSS Lbs
142	330	100							60							330							100							120			BOD mg/l
1,656	2,697	1,660							1,731							2,697							1,059							1,131			BOD LBS
AVG	MAX	03/31/20	03/30/20	03/29/20	03/28/20	03/27/20	03/26/20	03/25/20	03/24/20	03/23/20	03/22/20	03/21/20	03/20/20	03/19/20	03/18/20	03/17/20	03/16/20	03/15/20	03/14/20	03/13/20	03/12/20	03/11/20	03/10/20	03/09/20	03/08/20	03/07/20	03/06/20	03/05/20	03/04/20	03/03/20	03/02/20	03/01/20	Date
412	948		The state of the s		94.00							948.00							230.00							374.00							TSS mg/l
																																	TSS Lbs
153	330				60.00							330.00							100.00							120.00							BOD mg/l
																																	BOD LBS

# **Hull Wastewater Treatment Plant Operations Data**

	Ma
	rch,
Pg 1	2020

MUS	AVG	MAX	MIN	Tue 31	Mon 30	Sun 29	Sat 28	Fri 27	Thu 26	Wed 25	Tue 24	Mon 23	Sun 22	Sat 21	Fri 20	Thu 19	Wed 18	Tue 17	Mon 16	Sun 15	Sat 14	Fri 13	Thu 12	Wed 11	Tue 10	Mon 09	Sun 08	Sat 07	Fri 06	Thu 05	Wed 04	Tue 03	Mon 02	Sun 01		Date
	1			No	No	No	N <sub>o</sub>	No	N <sub>o</sub>	No	N <sub>o</sub>	No	N <sub>o</sub>	No	N <sub>o</sub>	N <sub>o</sub>	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	No	Yes/No	Screen Used
	•	,	,	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	ON/OFF	Mechanical Screen
	1	,		On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On.	On	On	On	On	On	On	On	ON/OFF	GRIT CHAMBER
	,	1		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	ON/OFF	GRIT CLASSIFIER
		,	,	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	) The	DIT THE	Off	Off	ON/OFF	PRI CLAR #1
				On	On	On	On	On	On	On	On	O <sub>n</sub>	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	ON/OFF	PRI CLAR #2
	•		1	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	ON/OFF	AT #1
				Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	ON/OFF	AT #2
				On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	ON/OFF	AT #3
The second second				Off	Off	Off	Off	Off	Off	ЭЭO	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	Off	) no	)JO	Off	Off	ON/OFF	AT#4
				On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	O <sub>n</sub>	On	On	On	ON/OFF	SEC CLAR												
	•			On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	ON/OFF	SEC CLAR #2
	•	,		On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	ON/OFF	CL2 BASIN #1
		-	,	On	On	On	On	On	On	On	On	On	On	Оп	On	O <sub>ff</sub>	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	On	ON/OFF	CL2 BASIN #2
			,	On	On	On	On	On	On	On	On	O <sub>n</sub>	On	On	On	On	On	On	On	0n	On	On	0n	0n	On	On	On	On	0n	On	0n	On	On	On	ON/OFF	THICK #1

# **Hull Wastewater Treatment Plant Operations Data**

	7
	-
	=
	0
	,
	N
d	9
٥	2
3	_

MUS	AVG	MAX	MIN	Tue 31	Mon 30	Sun 29	Sat 28	Fri 27	Thu 26	Wed 25	Tue 24	Mon 23	Sun 22	Sat 21	Fri 20	Thu 19	Wed 18	Tue 17	Mon 16	Sun 15	Sat 14	Fri 13	Thu 12	Wed 11	Tue 10	Mon 09	Sun 08	Sat 07	Fri 06	Thu 05	Wed 04	Tue 03	Mon 02	Sun 01		
r		1	1	Off	ON/OFF	THICK #2																														
		ı		Off	Off	Off	Off	Э	Off	) no	Off	Off	Off	ON/OFF	TANK #1																					
				Off	ON/OFF	TANK #2																														
		1		Off	Off	Off	Off	Off	ЭОС	Off	ОП	Off	ON/OFF																							
4.80	0.15	2.20	0.00	0.04	0.15	0.46	0.21	0.01	0.00	0.00	0.61	2.20	0.00	0.01	0.12	0.48	0.00	0.08	0.00	0.00	0.00	0.23	0.00	0.00	0.02	0.00	0.00	0.04	0.03	0.00	0.03	0.07	0.01	0.00	Inches	
•	36	47	20	35	38	40	39	4	38	38	36	29	21	35	39	40	38	31	28	37	40	41	36	41	40	42	31	30	33	37	42	47	26	20	Deg F	IEMP
,	49	66	33	40	41	43	51	57	48	48	47	42	33	59	65	42	49	44	35	52	51	56	43	57	64	66	52	43	44	50	49	58	51	34	Deg F	IEMP
1,615	52	300	25	50	50	80	30	50	40	200	300	40	30	25	25	35	40	30	40	30	30	35	40	35	35	30	30	45	40	35	40	45	50	35	LBS	KEMOVED
22	1	_	-	0.70	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	CUFT	
	359	948	94	148							94							948							230							374			MG/L	
	142	330	60	100							60							330							100							120			MG/L	
	1.58	3.49	1.04	2.37	2.37	2.00	1.88	2.20	2.03	2.34	3,49	1.33	1.14	1.18	1.23	1.18	1.04	1.08	1.14	1.21	1.35	1.49	1,45	1.45	1.44	1.38	1.59	1.73	1.33	1.29	1.32	1.27	1.30	1.32	MGD	
			0.00	1.86	1.86	1.37	1.27	1.66	0.63	0.61	0.65	0.34	0.53	0.64	0.00	0.34	0.00	0.59	0.59	0.29	1.01	0.93	0.92	0.19	0.63	0.18	0.83	0.62	0.60	0.83	0.82	0.75	0.73	0.00	MGD	MINIMUM
		4.99		2.77	2.93	2.61	2.33	2.54	2.52	2.76	4.99	3.59	1.64	1.66	3.18	2.95	2.86	1.58	1.87	2.54	2.84	2.98	2.48	3.18	2.91	2.68	2.78	3.22	1.72	1.68	2.14	1.65	2.46	2.12	MGD	MAXIMUM
																																			MG/L	

WOODARD

# Hull Wastewater Treatment Plant Operations Data

-
Mai
Ċ,
20
20

Pg 3

MUS	AVG	MAX	MIN	Tue 31	Mon 30	Sun 29	Sat 28	Fri 27	Thu 26	Wed 25	Tue 24	Mon 23	Sun 22	Sat 21	Fri 20	Thu 19	Wed 18	Tue 17	Mon 16	Sun 15	Sat 14	Fri 13	Thu 12	Wed 11	Tue 10	Mon 09	Sun 08	Sat 07	Fri 06	Thu 05	Wed 04	Tue 03	Mon 02	Sun 01		Date
																																			MG/L	PRI BOD MG/L
																																			FT	BLANKET
	0.8	1.5	0.0	1.5	0.8	0.8	0.5	0.3	1.0	1.0	1.0	0.8	0.5	1.3	0.1	1.3	0.1	1.5	1.3	1.5	0.1	1.0	1.0	0.5	0.3	0.3	0.3	0.8	0.5	0.0	0.8	0.3	0.3	0.3	FT	BLANKET
	104	143	82	88		88		92		86			95		98		116			105		82		90			117		132		143	119			MG/L	MLS SVI
1	579	850	300	300		360		350		380			600		680		790			700		490		510			570		830		850	700			MG/L	SET MIN
	290	410	170	170		180		200		170			300		325		390			340		250		280			290		410		400	350			ML	MIN SET
	249	320	150	150		170		190		170			270		290		310			290		220		225			290		320		300	290			ML	MIN SET
t	2,681	3,353	1,706	1,706		2,008		2,155		1,970			2,853		3,304		3,353			2,770		3,032		3,084			2,482		3,105		2,783	2,935			MG/L	MLSS
	8,500	9,896	7,038												7,038		8,086					8,798		9,896							8,682				MG/L	RAS TSS
	0.97	1.05	0.90	1.05	1.05	1.05	1.05	1.05	1.05	1.00	0.90	0.90	0.90	0.94	0.94	0.94	0.92	0.92	0.95	0.95	0.98	0.98	0.98	0.96	0.94	0.94	0.96	0.93	0.96	0.98	1.01	0.99	0.99	0.99	MGD	RAS FLOW
	2.3	3.5	1.5	3.0	2.5	2.8	3.5	2.0	2.3	2.3	1.5	2.0	2.0	1.8	2.5	3.0	2.5	2.3	2.0	1.5	3.3	2.8	2.0	2.0	2.3	1.8	2.0	2.0	3.0	2.3	8.1	2.0	2.0	2.0	FT	SEC #1 BLANKET
	2.2	7.0	1.3	2.0	2.0	2.0	1.5	2.3	2.0	2.3	7.0	1.5	1.3	2.8	2.0	2.5	2.0	2.0	2.0	1.7	1.8	2.0	2.0	2.0	1.8	1.5	1.3	2.0	3.3	1.3	2.8	3.0	8.1	2.0	FF	SEC #2 BLANKET
																																			MG/L	WAS TSS THCK
000 015	16,743	21,360	12,180	12,300	12,960	14,210	14,590	14,790	18,490	20,130	20,810	21,040	21,360	20,920	20,790	21,040	19,490	19,150	18,990	19,390	19,020	18,570	17,620	16,610	15,630	15,570	15,210	14,860	13,830	12,270	12,580	12,180	12,230	12,390	GAL	GALLONS THCK
	6.8	11.0	4.0	6.0							0.11							8.0							5.0							4.0			MG/L	(Report)

# **Hull Wastewater Treatment Plant Operations Data**

Ma
rch,
2020

SUM	AVG	MAX	MIN	Tue 31	Mon 30	Sun 29	Sat 28	Fri 27	Thu 26	Wed 25	Tue 24	Mon 23	Sun 22	Sat 21	Fri 20	Thu 19	Wed 18	Tue 17	Mon 16	Sun 15	Sat 14	Fri 13	Thu 12	Wed 11	Tue 10	Mon 09	Sun 08	Sat 07	Fri 06	Thu 05	Wed 04	Tue 03	Mon 02	Sun 01		Date
	3,4	4.8	3.0	3.0	0	9	00	7	6	5	4 4.8	3	2	1	0	9	00	7 3.0	6	O.	4	53	2	1	0 3.0	9	×	7	6	5	4	3 3.0	2	1	MG/L	(Report)
k:	10	10	10	10								10						10						10							10				ML	EFF FECAL #/100
		5.56		3.96	3.96	2.32	2.24	2.44	4.03	4.28	5.56	4.39	1.86	1.79	1.83	4.03	1.84	1.69	1.95	2.04	2.91	2.05	3.84	3.80	4.12	1.99	3.46	4.02	1.77	1.63	1.81	1.71	1.94	1.96	MGD	DAILY FLOW MGD
			0.00	1.15	1.31	11.11	1.10	1.26	1.29	1.22	2.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.68	0.00	0.82	0.81	0.73	0.72	0.01	0.01	0.74	0.77	0.77	0.78	0.76	0.77	0.76	MGD	DAILY FLOW MGD
	1.42	3,46	0.96	1.99	2.09	1.72	1.60	1.87	2.03	2.34	3,46	1.29	1.01	1.04	1.08	1.12	0.96	0.98	1.03	1.08	1.21	1.38	1.30	1.30	1.27	1.20	1.38	1.54	1.05	1.01	1.13	1.13	1.16	1.30	MGD	FLOW MGD
	7.05	7.40	6.80	7.00	7.00	7.00	7.10	6.80	7.00	7.00	7.10	6.80	7.00	7.00	6.90	7.10	6.80	6.90	6.90	7.10	6.90	6.90	6.90	6.90	7.30	7.40	7.10	7.40	7.40	7.20	7.30	7.20	7.30	6.80	SU	EFF #1pH
	0.13	1.05	0.00	0.76	1.03	0.00	0.00	0.00	0.43	0.08	1.05	0.03	0.00	0.00	0.00	0.01	0.01	0.03	0.01	0.02	0.00	0.03	0.00	0.00	0.00	0.01	0.00	0.01	0.36	0.00	0.00	0.00	0.00	0.04	MG/L	CL2 RES #1
	0.12	0.71	0.00	0.71	0.48	0.03	0.00	0.00	0.05	0.05	0.68	0.01	0.07	0.00	0.00	0.00	0.00	0.10	0.10	0.06	0.04	0.00	0.51	0.01	0.00	0.00	0.06	0.00	0.00	0.00	0.27	0.00	0.01	0.33	MG/L	CL2 RES #2
1	0.16	0.86	0.00	0.01	0.66	0.28	0.02	0.09	0.31	0.61	0.83	0.03	0.02	0.86	0.00	0.11	0.02	0.00	0.02	0.01	0.01	0.01	0.03	0.00	0.01	0.01	0.07	0.27	0.01	0.01	0.46	0.00	0.01	0.06	MG/L	CL2 RES #3
ж	0.13	0.85	0.00	0.49	0.72	0.10	0.01	0.03	0.26	0.25	0.85	0.02	0.03	0.29	0.00	0.04	0.01	0.04	0.04	0.03	0.02	0.01	0.18	0.00	0.00	0.01	0.04	0.09	0.12	0.00	0.24	0.00	0.01	0.14	MG/L	CL2 RES Daily Avg
1	4.92	6.34	3.71		4.7		3.7	4.9		4.7	4.3	4.1			4.4	5.2	5.0		6.3			5.6	6.2		6.2	4.4			4.3	4.9		4.7	4.9		%	THICKENE D SLUDGE TS
	7.49	11.00	5.50	9.0	8.5	8.5	8.0	0.11	7.0	7.5	7.5	8.0	8.3	8.0	7.5	7.5	7.5	7.5	7.0	8.0	6.5	6.0	6.5	7.5	7.0	7.0	8.0	7.5	7.5	7.0	7.5	5.5	5.5	7.0	FT	THICKENER #1 BLANKET
			ī																																FT	THICKENER THICKENER LEACHATE LEACHATE HEACHATE BLANKET #2 BLANKET TSS BOD E COD
		*																																	MG/L	TSS TSS
ı																									Section Section										MG/L	BOD
																																			MG/L	E COD







MIS	AVG	MAX	MIN	Tue	Mon 30	Sun	Sat	3.	Thu	Wed	Tue	Mon	Sun	Sat	H.	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun		Date
•	3,	×	4	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	09	80	07	90	05	04	03	02	10		
	ı		,																																GAL	LEACHATE
																																			GAL	Groundwater Underdrain
15.280	493	6,226	10	43	10	19	65	62	84	61	28	136	41	277	6,226	4,977	1,717	7.4	34	55	66	116	150	127	198	94	77	91	96	81	137	49	31	59	GAL	Potable H2O Calc.
161 000	5,194	9,000	0	0	9,000	0	9,000	9,000	0	9,000	9,000	9,000	0	0	9,000	9,000	8,500	0	9,000	0	0	9,000	9,000	0	9,000	9,000	0	0	8,500	9,000	0	9,000	9,000	0	GAL	Feed Sludge Gallons to truck
66.011	3,667	4,763	2,785		3,506		2,785	3,666		3,497	3,250	3,077			3,329	3,883	3,544		4,763			4,206	4,633		4,640	3,307			3,016	3,693		3,552	3,664		LBS/DAY	THICKENED SLDG
The second second	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	FT	Holding Tank Level
	0	з	0	0.3	0.3	0.3	0.3	0.0	0.3	0.3	0.3	0.3	0.3	0.0	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	3.0	0.3	0.3	0.3	0.3	FT	Sludge Holding Tank Level
	=	12	9	10.8	11.5	12.1	12.0	12.1	11.0	10.8	0.11	10.4	10.3	11.5	12.2	11.9	12.0	10.6	9.7	10.4	10.6	11.6	11.2	12.2	12.3	9.11	9,6	9.3	11.3	1.1	9.11	12.0	10.3	9.8	DEG C	EFF TEMP
	86	390	10	10								390						10						10							10				No/100ml	Enterococci
	1	,	,																																%	Texicity
	2,227	2,292	2,046	2,039	2,046	2,046	2,046	2,046	2,046	2,046	2,046	2,287	2,287	2,287	2,287	2,287	2,287	2,287	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	2,292	Inches	HEATING
	37	68	22	51	68	34	33	54	4	59	57	46	34	34	22	22	41	23	25	51	41	37	45	34	27	26	36	34	31	32	25	23	37	27	Gallons	NaOCI
	1.5	4.0	0.0	1.0	2.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	4.0	0.0	1.0	1.0	1.0	1.0	2.0	2.0	4.0	0.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	2.0	0.0	1.0	1.0	2.0	Gallons	NaOH
																																			MGD	Hingham Flow



### Hull WWTF Monthly Rain, Temperature and Flow March, 2020

Rainfall	Minimum Air Temp	Maximum Air Temp	Effluent Flow
Inches	F	F	MGD
0.00	20	34	1.300
0.01	26	51	1.160
0.07	47	58	1.130
0.03	42	49	1.130
0.00	37	50	1.010
0.03	33	44	1.050
0.04	30	43	1.540
0.00	31	52	1.380
0.00	42	66	1.200
0.02	40	64	1.270
0.00	41	57	1.300
0.00	36	43	1.300
0.23	41	56	1.380
0.00	40	51	1.210
0.00	37	52	1.080
0.00	28	35	1.030
0.08	31	44	0.980
0.00	38	49	0.960
0.48	40	42	1.120
0.12	39	65	1.080
0.01	35	59	1.040
0.00	21	33	1.010
2.20	29	42	1.290
0.61	36	47	3.460
0.00	38	48	2.340
0.00	38	48	2.030
0.01	41	57	1.870
0.21	39	51	1.600
0.46	40	43	1.720
0.15	38	41	2.090
0.04	35	40	1.990
0.00	20	33	0.96
2.20	47	66	3.46
0.15	36	49	1.42 44.05
	Inches  0.00 0.01 0.07 0.03 0.00 0.03 0.04 0.00 0.00 0.02 0.00 0.02 0.00 0.00	Inches	Inches



### Woodard and Curran February, 2020 In Plant Sulfide Readings



Target	Ave.	Max.	Min.	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat		Date
199	re.	ax.	, Fi	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	99	08	9	96	05	04	03	92	01		ite
				W-7	WNW-16		NE-7	SW-3	SSW-6	SW-6	SW-11	NNW-12	WNW-7	WNW-11	ESE-13	WNW-9	SW-10	NW-5	NNW-12	ESE-5	WNW-13	NNE 3	SW-15	N-3	W-17	ENE-7	ESE-14	NNW-5	ENE-4	W-10	NNW-7	SSW-2	Direction	Wind Direction
	32	4	=	30	29		41	44	37	32	27	16	23	39	34	34	31	П	32	34	36	39	40	22	25	37	36	36	35	35	35	32	Deg F	Outside Temp
				Fair	Sunny		ight rain/ cloud	Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Cloudy	Partly cloudy	Sunny	Partly cloudy	Sunny	Partly cloudy	Light Rain	Fair	Light rain	Light rain	Clear	Clear	Cloudy	Rain	Snowy/rainy	Partly cloudy	Partly cloudy	Cloudy	Cloudy	Condition	Outside Condition
<.01																																	ppm	Front Door
<10.0	0.110	0.130	0.100							0.100						0.130	0.100						0.100	0.130							0.100		ppm	Head Works
<10.0																																	ppm	Primary Tank No. 1
<10.0																																	ppm	Primary Tank No. 2
<10.0																																	ppm	Gravity Thickener
.050																																	ppm	Aeration Tanks
.050																																	ppm	Sludge Thickener Room
<10.0																																	ppm	Scrubber In
<1.0																																	ppm	Exhaust Scrubber Out
95%																																	%	% Removal



## Woodard and Curran February, 2020



# **Outside Plant Sulfide Readings**

Target	Ave.	Max.	Min.	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat	Fri	Thu	Wed	Tue	Mon	Sun	Sat		D
19g.	e.	ax.	in.	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	09	08	97	90	05	94	03	02	01		Date
				W-7	WNW-16		NE-7	SW-3	SSW-6	SW-6	SW-11	NNW-12	WNW-7	WNW-II	ESE-13	WNW-9	SW-10	NW-5	NNW-12	ESE-5	WNW-13	NNE 3	SW-15	N-3	W-17	ENE-7	ESE-14	NNW-5	ENE-4	W-10	NNW-7	SSW-2	Direction	Wind Direction
	32	4	1	30	29		41	44	37	32	27	16	23	39	34	34	31	=	32	34	36	39	40	22	25	37	36	36	35	35	35	32	Deg F	Outside Temp
				Fair	Sunny		Light rain/ cloudy	Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Cloudy	Partly cloudy	Sunny	Partly cloudy	Sunny	Partly cloudy	Light Rain	Fair	Light rain	Light rain	Clear	Clear	Cloudy	Rain	Snowy/rainy	Partly cloudy	Partly cloudy	Cloudy	Cloudy	Condition	Outside Condition
< 0.005																																	ppm	Cemetery Flag Pole
<0.005																																	ppm	Garage At Cemetery
< 0.005																																	ppm	Duck Lane
< 0.005																																	ppm	Duck Lane And Nantasket Ave
< 0.005																																	ppm	Seawall Across From Plant
<0.005																																	ppm	Fire Hydrant Across Inland Bay Side
< 0.005																																	ppm	Front O Aeration Bayside